

WiFi7 BE3600 GPON with 5G NR Hybrid BOX

GP924PVNR



802.11BE
WiFi 7

MLO


4096-QAM

Easymesh

5G NR

Double the Streams, Double the Capacity 2 × 2 MU-MIMO

GP924PVNR has 2 spatial streams, to meet the growing traffic demands generated by the increasing number of WiFi devices. The theoretical physical transmission rate is thus doubled compared with WiFi 6. With WiFi 7's 2 streams, every device has enough bandwidth to run smoothly.




A Fast 5G NR Mobile Network

Supporting the 3GPP Release 15 NSA/SA operation. You can enjoy uninterrupted HD movies, rapid file downloads, and smooth video chats.



Multi-Gigabit Connectivity

One 2.5 Gbps and three gigabit ports maximizes home internet speeds .
Make GP924PVNR an ideal solution for future-proofing your home network.



Specifications

Software Features

- WAN Type: Dynamic IP/Static IP/PPPoE
- DHCP: Server, Client, DHCP Client List, Address Reservation
- Quality of Service: WMM, Bandwidth Control
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- VLAN: 802.1Q tag VLAN, VLAN transparent mode/VLAN translation mode/VLAN trunk mode
- Access Control: Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
- Firewall Security: DoS, SPI Firewall
 - IP Address Filter/MAC Address Filter/Domain Filter
 - IP and MAC Address Binding
- VOIP Features: One RJ-11 FXS ports for connecting to analog telephones Call forwarding, Call waiting, Call block, 3-way conference call, etc.
- Management: Access Control
 - Local Management
 - Remote Management
- Internet Protocol: IPv4, IPv6

Environment

- Operating Temperature: 0°C~40°C (32°F~104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Relative Humidity: 10%~90%, non-condensing
- Storage Humidity: 5%~95%, non-condensing

Package Contents

- 1 x GPON Router
- 1 x Quick Installation Guide
- 1 x Power Adapter

Certifications

- CE, RoHS Comply